

Barn equipment

Comfort for the cow and the farmer





Product categories

The main products are divided into three categories, based on product construction, design and customer requirements:

STANDARD	(the second seco	 Fulfills the basic cow welfare requirements Economic Price/Quality ratio Entry level of automation
ADVANCED		 Improvement of cow welfare Improvement on sustainability Customer wishes fulfilment Semi-automatic
PREMIUM		 Cow welfare is main driver Heavy duty version Most adjustable version Maximum automation

The products are shown with the icons of the product categories on the page. There are product groups where the "Standard" level is missing, we believe that the products in these groups are at an "Advanced" or "Premium" level.

OFFERING ADDED VALUE

This way of categorising the various products offers a good opportunity to present the products more easy. For example, by taking the "Standard" product as a starting point, you can experience the added value of the "Advanced" and "Premium" products step by step and indicate whether the additional functionality also offers added value in everyone's opinion.

Index

Overview of cubicles

Overview Bedding Types

General sizes and weights of diff

Bedding systems

2D-Optima Combi Comfort cubicles B3130-Flex and R3130-Flex Cows mattress systems Gummystuds, GS20, GS25, GS33 Durasoft Akwatopsoft

Feeding & Drinking

Feed rails Alberta - moving feed rail Feeding fence diagonal Classic Lock Swedish self-closing feed fence Twist & Lock Water supply Quick drinkers Easy drinkers Watermatic & Watermaster Thermo Drin

Cow routing and selection

Separation fence Barrier Fingergate Cow treatment race Lifting fences

Young stock housing

Young stock housing 0-6 months Floating cubicle divisions for young stock Bedding systems Young stock feed fences Diagonal feeding fence for young stock Self-locking feed fence for young stock

Royal de Boer cow brushes

啦 Royal de Boer since 1869

	0
ferent cow breeds	7
	8
	8
	10
	14
	16
	17
	18
	19
	22
	23
	23
	24
	25
	25
	26
	28 29
	30
nkers	31
	32
	33
	35
	36
	37
	38
	40
	41
:k	42
	45
	46
	47
	48
	50

4

6

Overview of cubicles

Cow comfort and barn efficiency are important issues when designing cow housing. In a welldesigned barn, both people and animal function better, which is not only pleasant but also results in better returns. One of the most important requirements when designing cow housing is to ensure that the cows continue to behave naturally. All our products are developed to give optimal cow comfort, so the animals can lie down or move around without stress. The cubicles of Royal de Boer meet the requirements for optimal cow comfort as well as for barn efficiency and hygiene.





In order to allow natural movement, it is particularly important to ensure that the cubicle does not restrict the animal's movement. This means:

- Plenty of space at the front, to be able to perform the forward movements well.
- No obstacles that could injure the animal while getting up.
- Optional: precise, animal-friendly guidance of the cow by means of a knee tube and optimal positioning of the neck rail.

Our cubicles are available in Standard, Advanced or Premium versions:



Good quality and comfort at a pleasant price level

More functionality added to the Standard version, which adds value to the lying cubicle.

The best that Royal de Boer can offer in terms of lying behaviour and animal welfare.









Combi Comfort



B3130-Flex & R3130-Flex (Renovation)



For plenty of headspace and hygiene

- Provides plenty of sideways freedom of
- movement on the head side
- Optima curve for optimal guidance of the cow
- With comfort curve or available as US version
- Ideal for renovation projects

The flexible solution

- Mounting on a support post (vertically adjustable) or on a horizontal tube (vertically and horizontally adjustable)
- Mounted hanging free of obstacles
- With comfort curve or available as US version
- Ideal for deep litter and sand bedding

For the greatest comfort and safety

- Large headspace with unique moving neck rail
- Flexible cubicle divider, moves gently with the animal
- No chance of entrapment in between cubicle rows
- Optimal control for clean bedding
- Also available for shorter cubicles (R3130-Flex)

Overview of bedding types

High bedding



- Higher than the alley (15-20 cm) - Slope approx. 3-4%
- Comfort mattress or rubber mat
- Knee tube recommended
- Limited litter required

Combi bedding



- Higher than the alley (5-15 cm)
- Behind a wooden, pipe or concrete edge
- Rubber matting optional
- Knee tube necessary
- Various filling materials possible, such as straw or sawdust

Deep litter bed with concrete base



- Minimum 20 cm and maximum 30 cm high - Behind a concrete or wooden edge
- In combination with a concrete base
- Knee ring necessary
- Hard underlay and fresh filler as top layer
- Various spreadable materials possible, such as: sand, sawdust or dried manure

Deep litter bed without concrete base



- Minimum 20 cm and maximum 30 cm high
- Behind a concrete or wooden edge
- Front side flat, so no concrete base
- Knee ring necessary
- Hard underlay and fresh filler as top layer
- Various filling materials are possible such as: sand, sawdust or dried manure

General sizes and weights of different cow breeds

Overview of cow breeds with width and length measurements in cm



Variety	А	
Holstein Frisian	250	
Braunvieh	250	
Fleckvieh	245	
Rotvieh	240	

List of cow breeds with shoulderheight and weights

Variety	Height in cm (H)	Weight	Cow type
Holstein Frisian	145-160	650-750	Milk
Frisian Dutch	130-140	550-650	Milk
Jersey	120-127	350-450	Milk
MRY	135-140	550-650	Milk
Fleckvieh	130-140	650-700	Dual-purpose
Brown Swiss	135-140	650-700	Dual-purpose
Montbeliarde	140-150	650-750	Dual-purpose
Piemontese	130-140	750-1000	Meat

160

Cubicle width guideline vs. average weight



7

We

啦 Royal de Boei



BEDDING SYSTEMS





65

55

50

eight in kg	Box width centre to centre in cm
450	110
550	115
650	120
700	125
750	130
800	132,5

2D-Optima

STANDARD <u>ന്</u>ധ

- Lots of headspace
- Optima curve for controlled steering of the cow

Con Con

- Easy assembly: ideal for all projects
- Economic price/quality ratio
- Cows up to 140cm

Bedding systems

2D-Optima

The 2-D Optima cubicle divider offers excellent freedom of movement at the front and sides and ensures steering and control of the animal. State-of-the-art production techniques ensure top quality for a long lifespan.

The easy installation makes the 2-D Optima an excellent choice for all projects!

The unique Optima curve ensures that the cow finds her most comfortable position. As there are no front tubes, there is no obstacle for the cow to move forward when standing up.

The 2-D Optima cubicle divider is also available in a US version that prevents the cow from lying at an angle. We recommend the use of a clamp plate.





Age in	Product	Recommended length		C	Minimum	Recommen-	Box width centre to centre	
months	Product	Wall row	Single row	length single row	ded length of double row	US	Comfort	
> 22 months	2-D Optima	> 280 cm	> 250 cm	235 cm	> 500 cm	±120-132 cm	±110-132 cm	

Suitable with the following bedding



Royal de Boer

ADVANCED



• Adjustable height of the wave shoulder bar

<u>ന്ന</u>്ന ന്ന

- Prevents standing and lying in an angle
- Wave shoulder bar
- Clamp plate for easy adjustment in height



Combi Comfort cubicle

The Combi Comfort cubicle offers flexibility in height and/or width. It is possible to install the Combi Comfort with the comfort curve on the bottom side, as well as rotated 180 degrees with the straight pipe (US-version).

With the comfort curve at the bottom, the cubicle offers the most space for the cow. The bulge of the rumen falls into the bend, so the whole lying surface is used. The requirement for good steering is a fixed distance between lying surface and cubicle divider.

In the US-version, the cow lies between the tubes, which ensures an excellent positioning. Because the cow lies between the tubes, this means that the cubicle must be 5 cm wider than the Comfort version in order to offer the same space for the COW.

Available in single and double row versions. Available in lengths of 190, 205, 215, 225, 235 and 250 cm.





Combi comfort

Version mounted on standposts



- Straight neckrail
- Reversible: can be used as US- or Comfort bend
- Hygienic: self-supporting construction
- Adjustable in height



Age in	Durchurt	Recommen	Recommended length		Recommen-	Box width cen	
months	Product	Wall row	Single row	length single row	ded length of double row	US	Comfort
> 22 months	Combi Comfort	> 280 cm	> 250 cm	220 cm	> 500 cm	±120-132 cm	±110-132 cm

Suitable with the following bedding



Royal de Boer

ADVANCED

- Equipped with the wave shoulder bar
- Reversible: can be used as US- or Comfort bend

ന്ന ന്ന

• Hygienic: self-supporting construction





Combi comfort

Mounted on horizontal pipes

Cow Comfort Combi comfort



- Straight neckrail
- Reversible: can be used as US- or Comfort bend
- Hygienic: self-supporting construction
- Adjustable in height and width

- Equipped with the wave shoulder bar
- Reversible: can be used as US- or Comfort bend
- Hygienic: self-supporting construction









Age in	Product	Recommen	led length Minimum length		Recommen- ded length of	Box width centre to centre	
months	Product	Wall row	Single row	single row	double row	US	Comfort
> 22 months	Combi Comfort	> 280 cm	> 250 cm	220 cm	> 500 cm	±120-132 cm	±110-132 cm

Suitable with the following bedding





12







Comfort bend



US bend

B3130 & R3130-Flex



Scope



Suitable with the following bedding



B3130-Flex and R3130-Flex

The Royal de Boer cubicle divider **B3130-Flex** is a flexible divider developed with animal comfort in mind. Your animals can lie down and stand up with ease, with maximum comfort and safety due to the clever design. The B3130-Flex offers flexibility through the plastic cubicle bracket which moves with every movement of the cow. The neck rail can move upwards by 30 cm, so the cows incur less damage and cannot get stuck in between cubicles.

R3130-Flex Renovation

Royal de Boer cubicle divider R3130-Flex is developed to offer your cows maximum comfort in an existing barn with shorter cubicle length. The R3130-Flex has a shorter cubicle bracket. This makes this cubicle divider extremely suitable for renovation projects.





Royal de Boer

BEDDING SYSTEMS

K=175-180 R3130	K=l75 B3130	K=l80 B3130	K=185 B3130	K=190 B3130
240-255	≥250	≥255	≥260	≥265
220-230	≥230	≥230	≥230	≥230
440-460	≥460	≥460	≥460	≥460
430-350	≥460	≥460	≥460	≥460
480-500	≥500	≥500	≥500	≥500

STANDARD

Gummystuds, GS20, GS25, GS33

The Gummystuds, a bed system with thick rubber mats with various sizes of studs.

The Gummystuds topmats offer comfort without a foam mattress. The combination of 12 and 20 mm thick studs gives it a soft, comfortable surface. In DLG's focus test, this mat receives a "++" - the best possible score for cold formability and elasticity. The 190 cm wide surface slopes slightly on both sides for better hygiene and durability.

Bedding systems

Cow comfort and animal welfare are increasingly important. The benefits are obvious, both from a social and an economic point of view. A comfortable cow ruminates more efficiently and is able to rest her hoofs and body.

Essential to a bedding system is the amount of grip. When the bedding system consists of sufficient grip, the cow feels comfortable when lying down and standing up. Royal de Boer products are robust and can therefore be used intensively for many years. The long experience of Royal de Boer in cubicle systems is reflected in our product portfolio.



	Gummystuds GS33	Gummystuds GS25	Gummystuds GS20
Grip	++	+	+
Comfort	++	+	+
Hygiene	+	+	+
Sustainability	++++	++++	+++

	+ = Sufficient ++++ = Excellent
Grip	Combination of surface, top cover and underlay
Comfort	Comfort when lying down, getting up and lying down
Hygiene	Litter retention capacity
Sustainability	Combination of durability of the top layer and/or
	durable system





Royal de Boer

<u>ന്</u>മ



- High durability due to thick, high-quality rubber
- Closed surface without joints, ideal for easy cleaning
- High stability due to its own weight the mats do not form folds when the cows lie on them
- Surface texture pleasant to cow's skin
- Reinforced fibres for strength and flexibility
- DLG certified



<u>ന്ന</u> ന്ന

ADVANCED

Durasoft

The Durasoft cow mattress consists of a reinforced rubber top cover on a roll with a firm Poly-Urethane mattress underneath.

Grip

The top cover is 3.2 mm thick and reinforced. Together with the PU mattress, the total combination has a thickness of 43.2 mm. The fine silky structure on the top side of the top cover holds the cubicle filling sufficiently and is easy to clean. The top cover is secured with strips on all ends to prevent the collection of manure and milk residues under the mattress.

The Poly Urethane cow mattress with a density of 180kg/m³ is wrapped in foil during installation to prevent the penetration of moisture from the floor. The cow mattress is DLG tested and particularly resilient. At point load, the mattress springs back almost 27 mm. During the endurance test, hardly any permanent damage occurred.

Highlights:

DLG

- Surface texture holds cubicle filling
- Reinforced fibres for strength and flexibility • Natural rubber of industrial quality (styrene-
- butadiene rubber), for long life span • DLG certified

As standard, the mattress has a bedding length of 180 cm. On request, a length of 190 cm is also available in order to meet any local requirements. The Durasoft cow mattress offers the cow a lot of comfort, combined with a long life span. This makes the Durasoft cow mattress a good investment, both from the point of view of the cow and of you as farmer.

	Durasoft
Grip	++++
Comfort	+++
Hygiene	+++
Sustainability	+++

+ = Sufficient ++++ = Excellent Combination of surface, top cover and underlay Comfort Comfort when lying down, getting up and lying down Hygiene Holds cubicle filling

Combination of topsoil durability and/or durable Sustainabilitu sustem





Akwatopsoft

The Akwatopsoft is the best cow mattress you If you are going to renovate or build, do it well can offer your animals. The advantages of a 4 cm for your animals and give them the comfort of thick cow mattress combined with a traditional Akwatopsoft. waterbed. This offers the best of both worlds. The mattress offers resilience, even at impact points when the animal stands up or lies down. The waterbed offers support and adapts fully to the **Highlights:** shape of the cow. This comfort package results in a longer lying period, which returns to you in higher • Completely adapts to the cow's shape milk production.

	Akwatopsoft
Grip	++++
Comfort	++++
Hygiene	+++*
Sustainability	+++

	+ = Sufficient ++++ = Excellent
Grip	Combination of surface, top cover and underlay
Comfort	Comfort when lying down, getting up and lying down
Hygiene	Holds cubicle filling
	* Little filling required
Sustainability	Combination of topsoil durability and/or durable
	system

BEDDING SYSTEMS

啦 Royal de Boer

- Maximum grip
- Optimal hygiene and durability
- Minimal risk of injury!
- DLG certified





Properties comparing

Bedding systems for dairy cows older than 18 months.



	Gummystuds GS33	Gummystuds GS25	Gummystuds GS20	
Grip	++	+	+	
Comfort	++	+	+	
Hygiene	+	+	+	
Sustainability	++++	++++	+++	



	Durasoft	Akwatopsoft
Grip	++++	++++
Comfort	+++	++++
Hygiene	+++	+++*
Sustainability	+++	+++

+ = Sufficient ++++ = Excellent

Combination of surface, top cover and underlay Grip Comfort Comfort when lying down, getting up and lying down Holds cubicle filling * Little filling required Hygiene Sustainability Combination of topsoil durability and/or durable system

Notes

STANDARD

Feed rail

Royal de Boer feed rail are the cheapest alternative as a separation between the cow and the feeding area. The use of this rail system depends on the management system around treatment and selection of your animals.



Feeding and drinking

Our programme includes products for a reliable water supply and high quality feed fences. Your vision on cow management determines the choice of the type of feed fence; how will you handle and separate your cows.

A cow is taken in for treatment several times a year. Often individually, in a small group, or as part offer a solution. of a whole group.

The feeding fences of Royal de Boer offer a suitable solution for every situation.

Clean, widely available drinking water is a basic requirement for high milk production.

Royal de Boer provides a wide range of drinking water equipment for every need. With the Easydrink range we offer a line of stainless steel drinkers with a length of 50 cm to 3.5 meter, where several cows can drink at the same time. In places with severe cold periods the Watermaster drinkers





- Low cost
- Easy access to feed
- Freedom when eating
- Robust and cost-effective
- comfort and easy access to the feeding alley.





Alberta - moving feed rail

When it is not necessary to enclose the animals, Royal de Boer's moving feed rail offers a low cost alternative for your feeding solutions. The animals benefit from more freedom of movement during feeding. Because the Alberta feed rail is collapsible, the feeding alley remains maximally accessible,

for example for pushing the feed.





• The Alberta feeding rail is collapsible for cow

Diagonal feed fence

Royal de Boer's diagonal feed fence is a solid separation between the animal housing areas and the feeding alley. The animals are separated from each other to eat without crowding and prevents higher ranking animals from bullying. Feed as effectively as with a feeding rails with minimal loss of feed. The diagonal feed fence is available for calves, young cattle and large cows.

Highlights:

- Durable: a sturdy design made of robust steel tubes
- Available for calves, young cattle and large animals
- Separation of animals reduces rank order misbehaviour



啦 Royal de Boer since 1869

24

ADVANCED

Classic Lock

The Classic Lock self-closing feed fence is robust and spacious. The control in the top profile makes the feed fence easy to use. Even over longer lengths, the feed fence can be operated with one hand. Individual cows can be easily unlocked with plastic caps on the catch bars. The feed fence can be fixed to a support post or trusses with mounting parts.



Highlights:

- Classic design: robust, spacious, quiet
- Each eating place can be unlocked individually.





Swedish self-closing feed fence

The self-closing Swedish feed fence of Royal de Boer offers optimal security for animals with horns. The frames are made of robust tubes. The rounded ends provide easy access to the fence, even for smaller animals. The animals can be managed flexibly, as the central control system allows you to release them individually. The catcher bars are equipped with an optional collar safety device.



- Robust and sturdy
- Suitable for animals with horns.





Twist & Lock

The unique Twist & Lock feed fence makes it possible to lock individual cows by use of a rotating button. Individual animals can be separated comfortably from the rest of the herd, without having to drive them up. Twist & Lock is equipped with bronze bearings in movable bars for a longer life span. The top profile ensures easy operation and maintenance.

Royal de Boer

Just like all other feed fences in the Royal de Boer portfolio, the very animal-friendly Twist & Lock prevents injuries to animals and people.

Highlights:

- Animal-friendly: ergonomic design without obstacles
- Better and safer animal separation: fasten individual animals in place using a rotating button
- Long life span: bronze bearings
- Very quiet
- Safety features

Twist & Lock self-closing function

When the operating handle is in the self-closing position, the push buttons on the feed fence Twist & Lock are released and in their upper position. The hinged tube is locked in position when the cow puts its head through the head section and bends down towards the feed.





26

FEEDING & DRINKING



Release function for individual cows

Cows can be released individually by using a push button. Individual cows can be locked in if necessary by operating the twist-lock on an individual eating area, while the rest of the group is released.



Twist & Lock in detail

Unlocking and locking

animals individually with the Twist & Lock function.



ADVANCED

Quick Drinkers

The stainless steel Suevia quick drinker is extremely suitable for supplying small groups of cows with fresh drinking water.

Our Suevia quick drinker is fitted with a float valve, the bottom of the drinker holds a small amount of water and is easy to keep clean.

Only suitable for wall mounting. With an optional circulation system the drinker can be kept frostfree.

The 25-R is an enamelled drinking bowl with a rod valve. The water flow is adjustable by means of an adjusting screw on the valve. Standard provided with a top or bottom connection. This drinking trough is also very suitable in combination with water circulation systems.



Water supply

Since the water requirements for each animal are different, and sufficient top quality water is essential for the production of high quality milk, the types of drinking water systems needed can be very different from farm to farm.

- Stable water supply
- Fully adjustable water volumes
- Large drinking bowl
- Cast iron, fully enamelled
- Stainless steel drinking bowls







Easy Drink

Fresh and clean drinking water is important. For the production of 1 litre of milk, a cow needs 4-5 litres of water. Only by offering fresh and clean water at all times, an excellent water supply is obtained. Regular cleaning of the drinkers is very important. The trough is easy to clean by removing the plug. The bottom is angled towards the plug, so that dirt is concentrated around the outlet.

Royal de Boer's Easy Drink is a wall-mounted or stand-alone stainless steel drinking trough that is easy to clean. Due to the limited height, there is little water loss.

With the Easydrink range, we offer a line of stainless steel troughs from 50 cm to 3.5 metres in length, allowing a number of cows to drink at the same time.



<u>ന്ന</u> ന്ന ന്ന

- High volume flow: 2400 litres/hour
- Easy to clean: stainless with large drain holes and a diagonal base
- Can be fixed on the floor or to the wall
- Optional freeze protection

PREMIUM



Watermatic & Watermaster Thermo Drinkers

The design and features of the Watermaster make it an optimal solution for drinking water supply in large barns. The robust, fully enclosed polyethylene outer wall is impact resistant and very animal friendly due to its rounded shape and lack of sharp edges. In addition, it is frost-resistant thanks to the protective PU insulation. The float has a large capacity and can be serviced without tools.

The difference between the Watermaster and the Watermatic is in the float. The Watermaster has a float with a capacity of 4500 litres per hour. The Watermatic has a float with a capacity of 1300 litres per hour.



Highlights:

- Optimal fresh water concept
- Frost-resistant to -30°C thanks to PU foam layer
- Optional heating element for extremely low temperatures
- Robust polyethylene outer walls
- Drain plugs and rounded corners and edges for easy cleaning

FEEDING & DRINKING









ADVANCED

Separation fences

The product range of Royal de Boer separation fences has been composed with care. We supply our fences from 1 to as much as 7 metres in length. We have the fitting fence for your routing or selection.

Highlights:

- Versatile: modular system with various elements
- Cost-effective: optimum use of space
- Animal-friendly: leads the animals safely to their destination
- Easy to operate
- Adaptable to individual needs
- Simple, secure locking

Cow routing and selection

The routing and selection options influence the efficiency and effectiveness of the barn design and layout to a great extent. It also largely influences your daily work pleasure in the barn. Cows that are easy to guide through the barn, gates that are pleasant to operate, animals that are easy to

handle; both the design and the details make a difference in cow routing and cow selection.

Royal de Boer has both the products and the experience to optimally design your cow routing and cow selection





COW ROUTING AND SELECTION

ന്ന ന്ന

Separation fences



Adjustable separation fences

Separation fence extendable

	1

Separation fence adjustable + slidetubes

 -	

Separation fence With vertical bars

TIT	ΠΠ	ШШ	ШП	ППП
		1111111		

Fencing application

Age in months		2H	3H	4H	5H	
Dairy cattle	> 22	•	•	•	•	•
Heifers	19 to 22	•	•	•	•	•
Young cattle	7 to 18		•	•	•	
Dry cows	> 22				•	•
Calves	0,5 to 6				•	•
Recommended fence	e height from the top	of the bed/floo	or to the top in	cm		
Dairy cattle	> 22	120 - 130	140 - 150	140 - 150	140 - 150	140 - 150
Heifers	19 to 22	120- 130	140 - 150	140 - 150	140 - 150	140 - 150
Young cattle	7 to 18			140 - 150	140 - 150	140 - 150
Dry cows	> 22				150	140
Calves	0,5 to 6				150	140
Recommended fence	e height from the top	of the bed/floo	or to the unders	side in cm		
Dairy cattle	> 22	70 - 80	50- 60	35 - 40	20 - 30	30 - 40
Heifers	19 to 22	70 - 80	50 - 60	35 - 40	20 - 30	30 - 40
Young cattle	7 to 18			35 - 40	20 - 30	30 - 40
Dry cows	> 22				20	20
Calves	0,5 to 6				20	20

Accessoires for separation fences



Barrier

With the barrier, you can easily create a temporary fence to guide groups of cows in the right direction. The barrier can be opened and closed vertically and, depending on the type, it can be opened like a gate.

Highlights:

- Spring assistance: the barrier is easy to open and close
- Depending on the type of barrier, extendable by up to 250 cm
- The barrier can be adjusted in length without cutting it off (limited length)
- Integrated locking mechanism in open position for safety and easy operation.
- Can be turned to 180° and opened to 75°



COW ROUTING AND SELECTION







ADVANCED

ADVANCED ന്ന ന്ന

Fingergate

The Fingergate has been designed for one-way cow traffic in your barn. Due to its modular construction, the hanging gate can be made suitable for one or more cows to pass through at the same time. The Fingergate is available up to a width of 7 metres. The fingers are equipped with a counterweight, which ensures that the fingers close with limited force after a cow has passed. This ensures a cow-friendly one-way passage.

Highlights:

- Free from the ground
- Available in various lengths
- Cow safety
- Steers cows in one direction
- For wall and floor mounting

Royal de Boer



Cow treatment race

The treatment race is the ultimate cow routing and cow selection product for fast and efficient cow treatment. The specially designed fence construction of the treatment race allows you to fixate individual cows or small herds quickly and easily. This makes it ideal for treatments such as insemination, medical treatment or periodic checks of pregnant cows. After milking, the cows to be treated are selected via efficient cow routing and are collected in one or more waiting areas, after which they are grouped together and admitted to the treatment line. The layout of the cow selection is tailor-made, we can provide you with the best possible support so that working with the treatment race becomes particularly efficient.

The cow treatment race is available for both concrete and slatted floors. The standard treatment line has a length of 6 metres; extensions of 3 and 6 metres are available.



COW ROUTING AND SELECTION





- Versatile: suitable for various treatment options
- Uncomplicated: easy to use
- Animal-friendly: optimal care for the herd, outside the feeding area
- Modular: expandable basic module with options for extension



ADVANCED ന്ന ന്ന

Royal de Boer lifting fence -Manual operation

The manual lifting fence opens and closes by pushing the fence up and down. Because the fence is balanced in weight, it is light and easy to operate. The fence can also be fixed in the desired position, at the height you decide as a user.

The fence is available with 2 horizontal bars with a maximum passage height of 240 cm or with 3 horizontal bars with a maximum passage height of 210 cm.

The width of each fence can be extended by one metre and starts at 230 to 600 cm.

Highlights:

- Fully adjustable to fit different openings, up to a maximum of 6 metres
- Light and easy handling
- Requires limited space

Lifting fences

The Royal de Boer lifting fence gives you the opportunity to create the ultimate cow routing and selection layout in your barn. The lifting fence can be placed in places with frequent cow traffic, near feed passages and in the walking routes to the milking parlour or robot. Compared to a turning gate, the lifting fence has the important advantage that animals are never in the way during opening and closing. Separating groups of cows becomes even easier.

The lifting fence is also extremely effective for creating a temporary waiting area for the milking robot.

COW ROUTING AND SELECTION



PREMIUM

Royal de Boer lifting fence -**Electric operation**

The lifting fence with electric operation can be supplied with a remote control. This makes it easy to open the fence for yourself or each individual cow. With the help of a photocell, the fence detects if there are no cows or persons under the fence during closing. This prevents accidents.

The fence is available with 2 horizontal bars with a maximum passage height of 240 or 380 cm or with 3 horizontal bars with a maximum passage height of 210 to 350 cm.

The width of each fence can be extended by one metre and starts at 230 to 600 cm.



- Fully adjustable to fit different openings, up to a maximum of 6 metres
- Electric motor 230 V, 21 RPM
- Fully automatic locking system
- Precise locking system with optical sensor for cow safety
- Controlled from a distance with optional remote control

ADVANCED

Young stock housing 0-6 months

Calf boxes

Calf boxes are available in various widths. The calf box have a very effective open front fence, to which a teat bucket and a bowl can easily be attached. The boxes are supplied with a two-part plastic grid as standard. A set of wheels with a lever system for moving the box, for example for cleaning purposes, is optional.

	Internal dimensions	Outer dimensions (incl. bucket holder)
	L x W x H	L x W x H
Calf box small	130 x 85 x 106 cm	173 x 93 x 131 cm
Calf box large	160 x 100 x 106 cm	201 x 107 x 131 cm

Single calf hut

The Single Calf Housing Small is ideally suited for outdoor rearing of calves up to 2 weeks old. The calf hut distinguishes itself through its strong and durable material and its unique and patented fencing. The wheels under the hut make the hut easy to move, in case of relocation or for cleaning with the high-pressure cleaner elsewhere on the farm. Straw refreshing is a breeze thanks to the folding gates, which can be operated with one hand thanks to the smart locks.

	Dimensions	
	L x W x H	
Single calf hut	210 x 115 x 146 cm	
Fencing	150 x 110 x 96 cm	

Group calf hut

The group calf hut premium XL is ideal for rearing calves in groups of up to 5 calves (local animal welfare regulations must be observed). A sliding panel at the back makes it easy to feed hay. The calf hut with an outside area gives a good overview and makes monitoring easy.

	Dimensions
	L x W x H
Group calf hut	238 x 223 x 189 cm
Fencing	209 x 221 x 120 cm

Young stock housing

Successful long-term milk production requires extreme care and attention in rearing young stock. Investments in the most important housing and feeding areas help farmers to successfully grow their new born calves into full-grown heifers. Royal de Boer products and solutions are proven in practice and support the farm management

by ensuring that the animals grow up in the right way and in a sustainable way using economical systems. Our product range "Solutions for Young Stock" includes a variety of suitable feed fences, cubicle dividers, calf pens and other products. We recommend the following types of accommodation for specific age groups:



A calf box or hut is an effective housing system for preventing cross-contamination between calves and for monitoring feed intake in the first few weeks after birth.

啦 Royal de Boer

40

YOUNG STOCK HOUSING









ADVANCED

0.5-6 months + 7-12 months Tube cubicle divider is 1.5" (48mm)





Cubicle divider Recommended length		Minimum length	Box width	
	Wall row	Single row	single row	centre to centre
Cubicle divider 135 cm	> 185 cm	> 170 cm	160 cm	65 - 80 cm
Cubicle divider 160 cm	> 220 cm	> 200 cm	185 cm	80 - 90 cm

Cubicle divider	Length of double row set-up	Box width centre to centre
Cubicle divider 135 cm	300 cm	65 - 80 cm
Cubicle divider 160 cm	350 cm	80 - 90 cm

Flouting cubicle divisions for young stock

The cubicle dividers in the young stock housing product range are available for the different development stages and ages. There are four sizes available (135, 160, 170 and 180 cm), which, as with all items in our portfolio, have a first-class finish and are extremely robust, easy to clean and userfriendly.

The cubicle dividers offer optimal freedom of movement and are easy to install.

Highlights:

- Cost-effective: optimum use of space
- High-quality finish: long service life
- Available for different ages.



YOUNG STOCK HOUSING



YOUNG STOCK HOUSING

ADVANCED

13-18 months + 19-22 months

Tube cubicle partition is 2" (60mm)





Cubicle divider	Recommended length		Minimum length	Box width centre
	Wall row	Single row	single row	to centre
Cubicle divider 170 cm	> 240 cm	> 220 cm	200 cm	90 - 100 cm
Cubicle divider 180 cm	> 260 cm	> 240 cm	210 cm	100 - 115 cm

Cubicle divider	Length of double row set-up	Box width centre to centre
Cubicle divider 170 cm	380 cm	90 - 100 cm
Cubicle divider 180 cm	400 cm	100 - 115 cm



Bedding systems

Dimensions		
Age in months	Size K in cm	
0,5 - 6	120 - 129	
7 -12	129 - 147	
13 -18	147 - 165	
19 - 22	165 - 170	

Systems for young stock between 6 and 18 months

	STANDARD 👘	ADVANCED
	Gummystuds GS20	Durasoft
Grip	+	++++
Comfort	+	+++
Hygiene	+	+++
Sustainability	+++	++

Grip	Combination of surface, top
Comfort	Comfort when lying down, g
Hygiene	Cubicle filling retention cape
Sustainability	Combination of topsoil dural

+ = sufficient ++++ = excellent

Royal de Boer since 1869





p cover and underlay

getting up and lying down

oacity ability and/or durable system

STANDARD

Diagonal feeding fence for young stock

The diagonal feeding fences of Royal de Boer are designed as solid partitions between feeding and walking areas. The animals are separated from each other to eat without crowding and prevents higher ranking animals from bullying. Feed as effectively as possible with minimal loss of feed.

Young stock feed fences

10101

The feed fences of Royal de Boer offer an excellent animal comfort and are very solid and userfriendly. The feed fences for young stock are available in various designs: Diagonal, Self-Locking and Twist&Lock. They have dimensions suitable for the various development stages and contribute to an optimal development of calves from 0.5 to 22 months. The proven Royal de Boer quality, also for young stock!

Royal de Boer since 1869



46



- Each diagonal feed fence is specially designed for the particular age category
- Less spillage of feed in the walkway means less wastage



<u>ന്ന</u>്ന സ്ത

ADVANCED

Self-locking feed fence for young stock

The self-locking young stock feed fences can be adjusted to the size of animals aged between two weeks and 22 months. A user-friendly Twist & Lock version of the feed fence is available for animals over 7 months. These feed fences are especially suitable for young stock thanks to their animal-friendly hinges. The Twist & Lock system can be used to quickly separate individual animals.

Highlights:

- Adjustable opening width
- Securing individual animals from 7 months
- Simple push button operation

Self-closing Twist & Lock feed fence for young stock from 7 to 12 months

- Feeding width 44-54 cm
- Neck width adjustable from 10-17 cm
- Available in lengths of 110-350 cm
- 1.5" lower tube and 1" bar
- Fence height 94 cm
- Internal fence height 80 cm
- Individual release by means of a push button
- Individual locking by means of Twist & Lock button



Self-closing feed fence for young stock from 0.5 to 6 months

- Feeding width 38-43 cm
- Neck width adjustable from 8-15 cm
- Available in lengths of 135 325 cm
- 1.5" lower tube and 1" bar
- Fence height 81 cm
- Internal fence height 67 cm
- Individual release by means of a push button

• Available in lengths of 121-350 cm • 1.5" lower tube and 1" bar

• Fence height 94 cm

• Feeding width 51-56 cm

- Internal fence height 80 cm
- Individual release by means of a push button
- Individual locking by means of Twist & Lock button



mi Royal de Boer since 1869

YOUNG STOCK HOUSING

Self-closing Twist & Lock feed fence for young stock aged 13 to 22 months

Royal de Boer cow brushes

For your cows, it is a pleasure - and a necessity - to be brushed regularly

STANDARD

50

<u>rin</u>

Daily brushing ensures an excellent blood circulation and relaxes your cows. Royal de Boer's cow brushes spoil your cows, but also make sure that they stay clean. Dust and other kind of dirt disappears by daily brushing and that gives for example less itching. Because the cow pushes against the brush, it starts to turn and the cow

will hit the spot where she needs it. If she pushes against it too hard, the brush will stop, a perfect example of optimal cow comfort in your barn.

You also give parasites, mites and other vermin no chance, which ensures an optimal milk yield. An investment with a return!

Cow brush RdB Flex

Benefits

- Reaches virtually every part of the head and the body
- Durable brush, which lasts longer due to the change in direction of rotation
- Robust frame and motor, built to last
- No frequent maintenance

Features

- The direction of rotation changes with every starting turn
- Overload protection and therefore safe for the animal
- The brush rotates for 60 seconds after activation by slightly tilting the brush
- 230V 50/60 Hz power supply
- 0,55 Kw
- Weight 93 Kg

PREMIUM

Cow brush RdB Single

Benefits

- Increase cow comfort
- Increase milk yield
- reduces veterinarian costs

Features

- The Standard is specially built for group barns, where cows can move freely
- Easy to assemble
- All steel parts are fully galvanized
- Very sturdy brush
- Voltage: 230 / 50HZ
- Output: 0.37kW
- Speed: 46 RPM
- Weight: 105 kg
- Dimensions: 120 x 50 x 110 cm

啦 Royal de Boei





COW BRUSHES

<u>ന്ന</u> ന്ന





Cow brush RdB Twin

Benefits

- Very robust machine
- The 2 large brushes reach almost every part of the body
- High quality brushes for long life span
- No frequent maintenance

Features

- Running time adjustable between 7.5 and 120 sec.
- Direction of rotation reversible per start
- Oil filled gearbox, no grease points
- Switch off on overload
- 0,37 kW, 230V, 50/60 Hz
- 140 Kg
- 115x40x105 cm (H,W,D)

Mission, Vision

Mission –

Where cows feel at home

We deliver the products and knowledge that create the best living environment for cows, so that the farmer can work efficiently and achieve optimal results.

Vision -

We deliver quality in everything we do. We are pioneering and innovative, in both our products and our services. We lead the way, we are ground-breaking. We do this together with our customer. In a constantly changing world, we identify and respond to opportunities. We create such flexibility through standardisation and modularity.

Royal de Boer Stalinrichtingen B.V. Vestaweg 5 8938 AV Leeuwarden The Netherlands +31 (0) 58 284 33 00 info@royaldeboer.com www.royaldeboer.com



© Royal de Boer Stalinrichtingen B.V.. We reserve the right to make changes in construction and design